

# EUROPEAN PATENT OFFICE

## Patent Abstracts of Japan

PUBLICATION NUMBER : 2002164686  
PUBLICATION DATE : 07-06-02


APPLICATION DATE : 27-11-00  
APPLICATION NUMBER : 2000360033

APPLICANT : KAJIMA CORP;

INVENTOR : SAITO TAKESHI;

INT.CL. : H05K 9/00

TITLE : METHOD AND DEVICE FOR REED  
SCREEN TYPE MAGNETIC SHIELDING



ABSTRACT : PROBLEM TO BE SOLVED: To provide a method and device for magnetic shielding with air permeability and see-through characteristic.

SOLUTION: Finite-length magnetic bodies 6 are arrayed as a reed screen in a magnetic field. Here, the relationship between the cross-section area ( $S_a$ ) of a gap  $G$  between adjoining magnetic bodies 6 and a product ( $S_m \cdot \mu_s$ ) of the area ( $S_m$ ) of lateral cross-section of the magnetic body 6 and a specific permeability  $\mu_s$  of the magnetic body 6 is so selected that  $(S_m \cdot \mu_s) / S_a > 1$ , attenuating the magnetic flux density between one side of the magnetic bodies 6 arrayed as a reed screen and the other side. The finite-length magnetic body 6 is preferred to comprise a grain oriented silicon steel plate or permalloy whose longitudinal permeability is higher than that lateral cross-section direction, with the length-direction being substantially parallel to the magnetic line direction of magnetic field. Further, the finite-length magnetic body 6 is strip-shaped with a square cross-section.

COPYRIGHT: (C)2002,JPO